ELSEVIER

Brain Research 689 (1995) 305–306

BRAIN RESEARCH

Author Index

Abood, M.E., see Pugh, Jr., G. (689) 157
Aghajanian, G.K., see Kogan, J.H. (689) 111
Aijón, J., see Porteros, A. (689) 93
Alonso, J.R., see Porteros, A. (689) 93
Appenteng, K., see Grimwood, P. (689) 299
Arévalo, R., see Porteros, A. (689) 93
Armstead, W.M.
Relationship between opioids and activation of phospholipase C and protein kinase C in brain injury induced pial artery vasoconstriction (689) 183
Aschner, M., Mullaney, K.J., Wagoner Jr., D.E., Lash, L.H. and Kimelberg, H.K.
Adenosine modulates methylmercuric chloride (MeHgCl)-induced D-aspartate release from neonatal rat primary astrocyte cultures (689) 1

Baars, J.-M., see Isaacson, R.L. (689) 79
Bakkum, B.W., see Benevento, L.A. (689) 172
Balaban, C.D., see Yates, B.J. (689) 197
Behbehani, M.M., see Da Costa Gomez, T.M. (689) 21
Benevento, L.A., Bakkum, B.W. and Cohen, R.S.
Gamma-aminobutyric acid and somatostatin immunoreactivity in the visual cortex of normal and dark-reared rats (689) 172
Bentivoglio, M., see Cevolani, D. (689) 163
Briñón, J.G., see Porteros, A. (689) 93
Brog, J.S., see Tan, Y. (689) 151
Brown, M.W., see Zhu, X.O. (689) 101

Cashore, W.J., see Lee, C. (689) 233
Cevolani, D., Strocchi, P., Bentivoglio, M. and Stirpe, F.
Suicide retrograde transport of volkensin in cerebellar afferents: direct evidence, neuronal lesions and comparison with ricin (689) 163
Cohen, R.S., see Benevento, L.A. (689) 172
Conklin, L.S., see Delville, Y. (689) 147
Cools, A.R., see Mulders, W.H.A.M. (689) 47
Cools, A.R., see Mulders, W.H.A.M. (689) 61
Crespo, C., see Porteros, A. (689) 93
Crofton, J.T., see Sato, K. (689) 71

Da Costa Gomez, T.M. and Behbehani, M.M.
An electrophysiological characterization of the projection from the central nucleus of the amygdala to the periaqueductal gray of the rat: the role of opioid receptors (689) 21
Delville, Y., Conklin, L.S. and Ferris, C.F.
Differential expression of vasopressin receptor binding in the hypothalamus during lactation in golden hamsters (689) 147
De Saint Hilaire, Z., see Gerozissis, K. (689) 239
De Wied, D., see Isaacson, R.L. (689) 79
Dietrich, W.D., see Pazos, A.J. (689) 224
Du, J.-S., see Fok-Seang, J. (689) 207

Endo, K., see Yates, B.J. (689) 197
Engle, M.G., see Watson, Jr., R.E. (689) 254
Eterović, V.A., see Ferchmin, P.A. (689) 189

Faissner, A., see Fok-Seang, J. (689) 207
Fawcett, J.W., see Fok-Seang, J. (689) 207
Ferchmin, P.A., Eterović, V.A., Rivera, E.M. and Teyler, T.J.
Spermine increases paired-pulse facilitation in area CA1 of hippocampus in a calcium-dependent manner (689) 189
Ferris, C.F., see Delville, Y. (689) 147
Fok-Seang, J., Smith-Thomas, L.C., Meiners, S., Muir, E., Du, J.-S., Housden, E., Johnson, A.R., Faissner, A., Geller, H.M., Keynes, R.J., Rogers, J.H. and Fawcett, J.W.
An analysis of astrocytic cell lines with different abilities to promote axon growth (689) 207
Furukawa, K. and Mattson, M.P.
Taxol stabilizes $[Ca^{2+}]_i$ and protects hippocampal neurons against excitotoxicity (689) 141
Fuxe, K., see Odagaki, Y. (689) 129

Ganguly, P.K., see Kirouac, G.J. (689) 245
García-Ojeda, E., see Porteros, A. (689) 93
Geller, H.M., see Fok-Seang, J. (689) 207
Gerozissis, K., De Saint Hilaire, Z., Orosco, M., Rouch, C. and Nicolaïdis, S.
Changes in hypothalamic prostaglandin E_2 may predict the occurrence of sleep or wakefulness as assessed by parallel EEG and microdialysis in the rat (689) 239
Gotani, H., Kuno, M., Nakamura, F. and Matsuura, S.
Potentiation of excitatory postsynaptic potentials by a metabotropic glutamate receptor agonist (1*S*,3*R*-ACPD) in frog spinal motoneurons (689) 281
Grayson, D.R., see Wang, X.-H. (689) 32
Green, E.J., see Pazos, A.J. (689) 224
Grimwood, P. and Appenteng, K.
Effects of afferent firing frequency on the amplitude of the monosynaptic EPSP elicited by trigeminal spindle afferents on trigeminal motoneurones (689) 299

Hafmans, T.G.M., see Mulders, W.H.A.M. (689) 47
Hafmans, T.G.M., see Mulders, W.H.A.M. (689) 61
Heinemann, U., see Igelmund, P. (689) 9
Housden, E., see Fok-Seang, J. (689) 207

Igelmund, P. and Heinemann, U.
Synaptic transmission and paired-pulse behaviour of CA1 pyramidal cells in hippocampal slices from a hibernator at low temperature: importance of ionic environment (689) 9
Inoue, T., see Matsuo, R. (689) 289
Isaacson, R.L., Varner, J.A., Baars, J.-M. and De Wied, D.
The effects of pregnenolone sulfate and ethylestrenol on retention of a passive avoidance task (689) 79
Iyer, V.G., Reid, K.H., Young, C., Miller, J. and Schurr, A.
Early, but not late, antiepileptic treatment reduces relapse of sound-induced seizures in the post-ischemic rat (689) 159

Johnson, A.R., see Fok-Seang, J. (689) 207

Kawano, H. and Masuko, S.
Substance P innervation of neurons projecting to the paraventricular hypothalamic nucleus in the rat nucleus tractus solitarius (689) 136
Keynes, R.J., see Fok-Seang, J. (689) 207
Kimelberg, H.K., see Aschner, M. (689) 1
Kirouac, G.J. and Ganguly, P.K.
Cholecystokinin-induced release of dopamine in the nucleus accumbens of the spontaneously hypertensive rat (689) 245
Kogan, J.H. and Aghajanian, G.K.
Long-term glutamate desensitization in locus coeruleus neurons and its role in opiate withdrawal (689) 111
Kuno, M., see Gotani, H. (689) 281

Langub, Jr., M.C., see Watson, Jr., R.E. (689) 254
Lash, L.H., see Aschner, M. (689) 1
Lee, C., Stonestreet, B.S., Oh, W., Outerbridge, E.W. and Cashore, W.J.
Postnatal maturation of the blood–brain barrier for unbound bilirubin in newborn piglets (689) 233
Levitt, P., see Wang, X.-H. (689) 32
Lindsay, A.D., see Yin, H.-z. (689) 265

Maley, B.E., see Watson, Jr., R.E. (689) 254
Masuda, Y., see Matsuo, R. (689) 289
Masuko, S., see Kawano, H. (689) 136
Matsuo, R., Inoue, T., Masuda, Y., Nakamura, O., Yamauchi, Y. and Morimoto, T.
Neural activity of chorda tympani mechanosensitive fibers during licking behavior in rats (689) 289
Matsuura, S., see Gotani, H. (689) 281
Mattson, M.P., see Furukawa, K. (689) 141
McCabe, P.M., see Pazos, A.J. (689) 224
Meek, J., see Mulders, W.H.A.M. (689) 47
Meek, J., see Mulders, W.H.A.M. (689) 61
Meiners, S., see Fok-Seang, J. (689) 207
Miller, A.D., see Yates, B.J. (689) 197
Miller, J., see Iyer, V.G. (689) 159
MohanKumar, P.S., see ThyagaRajan, S. (689) 122
Morimoto, T., see Matsuo, R. (689) 289
Muir, E., see Fok-Seang, J. (689) 207
Mulders, W.H.A.M., Meek, J., Hafmans, T.G.M. and Cools, A.R.
The hypothalamic paraventricular nucleus in two types of Wistar rats with different stress responses. I. Morphometric comparison (689) 47
Mulders, W.H.A.M., Meek, J., Schmidt, E.D., Hafmans, T.G.M. and Cools, A.R.
The hypothalamic paraventricular nucleus in two types of Wistar rats with different stress responses. II. Differential Fos-expression (689) 61
Mullaney, K.J., see Aschner, M. (689) 1
Murphy, E.H., see Wang, X.-H. (689) 32

Nakamura, F., see Gotani, H. (689) 281
Nakamura, O., see Matsuo, R. (689) 289
Namgung, U., Valcourt, E. and Routtenberg, A.
Long-term potentiation in vivo in the intact mouse hippocampus (689) 85
Nicolaïdis, S., see Gerozissis, K. (689) 239

Odagaki, Y. and Fuxe, K.
5-HT_{1A}, $GABA_B$, and pirenzepine-insensitive muscarinic receptors are functionally coupled to distinct pools of the same kind of G proteins in rat hippocampus (689) 129
Oh, W., see Lee, C. (689) 233
Olive, S., Rougon, G., Pierre, K. and Theodosis, D.T.
Expression of a glycosyl phosphatidylinositol-anchored adhesion molecule, the glycoprotein F3, in the adult rat hypothalamo-neurohypophysial system (689) 271
Orezzoli, S.L., see Pazos, A.J. (689) 224
Orosco, M., see Gerozissis, K. (689) 239
Outerbridge, E.W., see Lee, C. (689) 233

Park, D.D., see Yin, H.-z. (689) 265
Pazos, A.J., Orezzoli, S.L., McCabe, P.M., Dietrich, W.D. and Green, E.J.
Recovery of vibrissae-dependent behavioral responses following barrelfield damage is not dependent upon the remaining somatosensory cortical tissue (689) 224
Pierre, K., see Olive, S. (689) 271
Porteros, A., Arévalo, R., Crespo, C., García-Ojeda, E., Briñón, J.G., Aijón, J. and Alonso, J.R.
Calbindin D-28k immunoreactivity in the rat accessory olfactory bulb (689) 93
Pugh, Jr., G., Abood, M.E. and Welch, S.P.
Antisense oligodeoxynucleotides to the κ-1 receptor block the antinociceptive effects of Δ^9-THC in the spinal cord (689) 157

Quadri, S.K., see ThyagaRajan, S. (689) 122

Reid, K.H., see Iyer, V.G. (689) 159
Rivera, E.M., see Ferchmin, P.A. (689) 189
Rogers, J.H., see Fok-Seang, J. (689) 207
Rouch, C., see Gerozissis, K. (689) 239
Rougon, G., see Olive, S. (689) 271
Routtenberg, A., see Namgung, U. (689) 85

Sato, K., Crofton, J.T., Wang, Y.-X. and Share, L.
Effects of gender on the central actions of neuropeptide Y and norepinephrine on vasopressin and blood pressure in the rat (689) 71
Schmidt, E.D., see Mulders, W.H.A.M. (689) 61
Schurr, A., see Iyer, V.G. (689) 159
Share, L., see Sato, K. (689) 71
Smith-Thomas, L.C., see Fok-Seang, J. (689) 207
Stirpe, F., see Cevolani, D. (689) 163
Stonestreet, B.S., see Lee, C. (689) 233
Strocchi, P., see Cevolani, D. (689) 163

Tan, Y., Brog, J.S., Williams, E.S. and Zahm, D.S.
Morphometric analysis of ventral mesencephalic neurons retrogradely labeled with Fluoro-Gold following injections in the shell, core and rostral pole of the rat nucleus accumbens (689) 151
Teyler, T.J., see Ferchmin, P.A. (689) 189
Theodosis, D.T., see Olive, S. (689) 271
ThyagaRajan, S., MohanKumar, P.S. and Quadri, S.K.
Cyclic changes in the release of norepinephrine and dopamine in the medial basal hypothalamus: effects of aging (689) 122

Valcourt, E., see Namgung, U. (689) 85
Varner, J.A., see Isaacson, R.L. (689) 79

Wagoner Jr., D.E., see Aschner, M. (689) 1
Wang, X.-H., Levitt, P., Grayson, D.R. and Murphy, E.H.
Intrauterine cocaine exposure of rabbits: persistent elevation of GABA-immunoreactive neurons in anterior cingulate cortex but not visual cortex (689) 32
Wang, Y.-X., see Sato, K. (689) 71
Watson, Jr., R.E., Langub, Jr., M.C., Engle, M.G. and Maley, B.E.
Estrogen-receptive neurons in the anteroventral periventricular nucleus are synaptic targets of the suprachiasmatic nucleus and peri-suprachiasmatic region (689) 254
Weiss, J.H., see Yin, H.-z. (689) 265
Welch, S.P., see Pugh, Jr., G. (689) 157
Williams, E.S., see Tan, Y. (689) 151

Yamaguchi, Y., see Yates, B.J. (689) 197
Yamauchi, Y., see Matsuo, R. (689) 289
Yates, B.J., Balaban, C.D., Miller, A.D., Endo, K. and Yamaguchi, Y.
Vestibular inputs to the lateral tegmental field of the cat: potential role in autonomic control (689) 197
Yin, H.-z., Park, D.D., Lindsay, A.D. and Weiss, J.H.
Spinal cord neurons are vulnerable to rapidly triggered kainate neurotoxicity in vitro (689) 265
Young, C., see Iyer, V.G. (689) 159

Zahm, D.S., see Tan, Y. (689) 151
Zhu, X.O. and Brown, M.W.
Changes in neuronal activity related to the repetition and relative familiarity of visual stimuli in rhinal and adjacent cortex of the anaesthetised rat (689) 101